

SPECIALIST ROOFING & WATERPROOFING



ROOFMART
I R E L A N D

Torch on / Self Adhesive Felt
Traditional Felt
Insulation
Solutions & Compounds
Breathable Felt
Shingles
EPDM
Metrotile
Asphalt
Lead Replacement
Tanking
Protection Board
Outlets
Rooflights
Guardrail Systems
Tile Ridge & Verge Kits
Accessories & Tools
Green And Blue Roofs
Single Ply PVC



PRODUCT CATALOGUE

2026 EDITION

TORCH ON / SELF ADHESIVE FELT



Ultra SA VCL

15m x 1m

ULTRA Self Adhesive VCL is composed of a thick, impervious aluminium core, reinforced with a tough, polyester base and coated with a polymer modified bitumen.



Easyseal Cap Sheet

6m x 1m

Easyseal Cap Sheet is suitable for use as a field sheet and detailing membrane, with a 15 year guarantee. Self Adhesive capsheet. Available in Green.



ULTRA HA Underlay

16m x 1m

A polyester reinforced bitumen membrane used within a built-up roofing system, the membrane is coated on both sides with self-adhesive bitumen SBS elastomeric coating. Torch on/ Self Adhesive Felt



ULTRA HA Detailing Underlay

A polyester reinforced bitumen membrane used within a built-up roofing system, the membrane is coated on both sides with self-adhesive bitumen SBS elastomeric coating.



Shield ALU/SA

50m x 1.08m

Vapour barrier (indoor climate class IV) composed of elastomer (SBS) bitumen and a HDPE-Foil inlay. The upper surface is finished with ALU foil and a self-adhesive lower surface.



Ikonic Base V2

2mm 10m x 1m

Waterproofing membrane composed of plastomer (APP) bitumen and a glass fibre fleece inlay. The upper surface of this underlay is finished with sand and the lower surface is protected by a thermofusible film.



Base V3 T/F

3mm / 10m x 1m

Underlayer composed of polymer bitumen and a glass fibre fleece inlay. The upper surface of this underlay is finished with sand and the lower surface is protected by a thermofusible film.



Turbo Torch SBS

4mm / 8m x 1m

Turbo Torch range of cap sheets have been specifically developed to provide the perfect combination of long-term performance, ideal handling characteristics and rapid torch-on installation.



IKonic Smooth

4mm / 10m x 1m

10m x 1m Waterproofing membrane composed of plastomer (APP) bitumen and a polyester-glass combination inlay. The upper surface is finished with a talc.



IKOgum 3500 T/F

3mm / 10m x 1m

Waterproofing membrane composed of plastomer (APP) bitumen and a polyester-glass combination inlay. The upper surface is finished with sand and the lower surface is protected by a thermofusible film.



Base P3000 SBS

2.3mm / 10m x 1m

Underlayer composed of elastomer bitumen (SBS) and a polyester inlay. The upper surface of this underlay is finished with sand and the lower surface is protected by a thermofusible film. Torch on/ Self Adhesive Felt.



IKOgum 4AR/F

4mm / 10m x 1m

Waterproofing membrane composed of plastomer (APP) bitumen and a polyester-glass combination inlay. The upper surface is finished with light grey crushed slate.

TORCH ON / SELF ADHESIVE FELT



IKOnic Black 7.5/10m 4mm

Waterproofing membrane composed of plastomer (APP) bitumen and a polyester-glass combination inlay. The upper surface is finished with black granulate.



IKOgum 5500 4mm / 10m x 1m

Waterproofing membrane composed of plastomer (APP) bitumen and a polyester-glass combination inlay. The upper surface is finished with dark grey crushed slate.



All you need under one roof

Our showrooms and warehouses are fully stocked with a range of IKO products and related tools and accessories needed for any roofing and waterproofing project.

TRADITIONAL FELTS



Top Sheet 10m x 1m

Top Sheet is a heavyweight, green surfaced top layer and is ideal for use as the capsheet to a multi-layer system on garden buildings or a single layer on shed roofs.



Eaves Protection Strip 500mm x 16m

Eaves Protection Strip is a high performance polyester based bituminous membrane, specifically designed to give lasting protection where underslating membranes dress into external gutters.



Shed Felt 10m x 1m

Shed Felt is an economical, bituminous, fibre based roofing felt with a protective and decorative fine mineral finish. Available in green.

TRADITIONAL FELTS



Glass Fibre Underlay (3B) 20m x 1m

Glass-Fibre Underlay is a waterproofing membrane, consisting of a strong glass fibre base coated with oxidised bitumen. It is also used as an underlay to bitumen shingles in a pitched roof application.



Shed Felt 8m x 1m


Shed Felt is an economical, bituminous, fibre based roofing felt with a protective and decorative fine mineral finish. Available in Black, Red and Green.



Blizzard Pro Shed Felt Green 21m x 1m


Blizzard Pro Shed Felt is an economical, bituminous, fibre based roofing felt with a protective and decorative fine mineral finish. Available in green.

INSULATION



PIR Insulation FR/BGM

Flat Roof BGM is faced with a polypropylene fleece finished bitumen/glass fibre working surface and a mineral glass facing to the underside. As a key component of roof insulation. Used with torch on felts.



PIR Insulation FR/ALU

FR/ALU is a Polyisocyanurate flat roof insulation with vapour-tight composite foil facings suitable for use with single ply membranes.



PIR Insulation FR/MG

Flat Roof MG is a Polyisocyanurate with glass fibre facings, designed for roof insulation, and is suitable for use below single ply waterproofing systems and partially bonded built-up felt.

YOUR 'ONE STOP' SHOP www.roofmart.ie



SOLUTIONS AND COMPOUNDS



Quick Dry Primer
5L/25L

A deep penetrating bituminous solution for stabilising dusty and porous surfaces prior to the application of IKO roofing systems. It dries in approximately 30 minutes with no residual tack.



SA Primer
5L/25L

IKOpro SA Bitumen Primer is a rubber-modified bituminous priming solution designed to seal and prepare surfaces for the application of self-adhesive roofing and waterproofing systems.



IKOpro PU Adhesive
6.5KG

IKOpro PU Adhesive for Insulation Boards meets the demand for a safe, effective and green solution to securely bonding insulation board to various roof substrates. It is solvent-free, non-flammable and low-odour.



Enertherm Fix Gun
750ml

Enertherm fix gun for Insulation Boards meets the demand for a safe, effective and green solution to securely bonding insulation board to various roof substrates.



Black Bitumen Paint
5L/25L

Bitumen Paint is a general-purpose bitumen paint that provides protection for a range of substrates. Bitumen Paint provides protection for all outdoor constructions above ground or in contact with the ground.



Solar Reflective Aluminium Paint
5L/25L

A bituminous aluminium coating. Can be applied to a wide range of substrates including metal, bitumen coatings and bitumen membranes to protect against the effects of UV and heat ageing.



Synthaprufe Original
5L/25L

Synthaprufe Original is a high performance, brush applied damp proofing emulsion containing synthetic rubber latex which provides a seamless waterproof and vapour resistant, black elastomeric membrane.



Cellar Proof
20KG

Resistant to both positive and negative water pressure, for indoor and outdoor structures such as basements, ponds, water reservoirs and foundations, consisting of porous mineral building materials such as cement and concrete blocks.



Acryflex
5KG/20KG

High performance, flexible and fibre-reinforced acrylic coating. Can be applied to damp surfaces but ponding water should be removed. Use: Repairs, routine maintenance and seamless waterproofing membrane for complete roofs: bitumen roof felt, fibre cement, metal, tiles, slates and concrete.



Hybritech MS Detail
7KG

Hybritech MS Detail is a solvent free and odour free single component coating based on flexible hybrid polymers. IKO Hybritech MSDetail cures through reaction with the air humidity.



Tanetech Detail
5KG

Used to realise a waterproof connection to complex roof details, like flashings, domes, roof lights, chimneys, air conditioning nozzles, gutters etc. Due to high viscosity, doesn't flow down when applied on high flashings.



Non Porous Primer
5L

Non porous Primer is a single-component primer with excellent penetration properties. Tech Cleaner 5L tech Cleaner is used to clean tools and non-polymerised stains.



ROOFMART IRELAND

A SPECIALIST MERCHANT FOR ALL YOUR NEEDS

Specialist Roofing & Waterproofing Stores

Whatever the job you can rely on Roofmart to provide products with the ideal combination of performance, value and innovation.

Flat and pitched roofing membranes

We have a full range of roofing felts, membranes, flashing, vents, outlets and fixings to complete any roofing project.

A full range of Insulation

We stock a range of quality branded PIR insulation, available in a range of facings and all thicknesses.

Single Ply, Liquid Solutions & Compounds

Our range covers every application. We also stock an extensive range of sealants, mastics, adhesives and flashings.

Tooling and Equipment for all installations

Whatever your project Roofmart have a full range of tools to complete the perfect job.

SOLUTIONS AND COMPOUNDS



Tech Cleaner 5L

Tech Cleaner is used to clean tools and non-polymerised stains.



Gutter Renovation 2.5KG

A solvent-free, odourless, ready-to-use coating made from flexible hybrid polymers. It is a self-levelling renewal coating for the permanent repair and protection of gutters made from all commonly used materials.



Hydrofuge X 5L

A solvent-borne and colourless, water-repellent and breathable coating that protects all vertical exterior walls from rain penetration and dirt without changing the appearance of the wall.



Stickall 310mm

A dense, all weather, bituminous sealing glue that remains plastic under normal temperatures and adheres well to most building surfaces including wet surfaces. A multi-purpose product with high permanent adhesive strength, good UV stability and resistance to sagging at high temperatures.

BREATHABLE FELT



Mastermax Clear 1.5m x 50m

Mastermax Clear is a lightweight breather membrane, which combines optimum performance, ease of application and value for money. Beige Colour 135g.



Rubershield Pro 1.5m x 50m

IKO Rubershield Pro is a 140g/m² Type LR Breather Membrane for use within cold and warm unventilated pitched roof construction and for use within vertical application. Black colour.



Rubershield Pro Extra 1.5m x 50m

IKO Rubershield Pro Extra is a 160g/m² Type LR Breather Membrane for use within cold and warm unventilated pitched roof construction and for use within vertical application. Green colour.

SHINGLES



Armourglass Square Shingles 2m² pack

Lightweight, glass fibre based bitumen strip slates. They are easily installed and give the appearance of a highly decorative tiled roof finish. Available in Black, Red or Green.



Armourshield Hexagonal Shingles 2m² pack

Roofing Shingles can be used on a wide variety of buildings, temporary or permanent, and have proved immensely popular with both professional and DIY installers alike.



Easyshingle Nails 200 per pack

4mm Galvanised nails. Recommended 50 nails per m².

EPDM



Roofmart EPDM

Roofmart EPDM allows you to create a custom roof from a one layer application for all flat and slightly sloping roofs. EPDM roofing is very easy to install without a burner and is ideal for any DIY enthusiasts.

METROTILE



Roofmart Metrotile

Roofmart Metrotile is used for waterproofing and sound absorbing on all pitched roofs, both old and new roof constructions. Metrotile is easy and fast to install with a long life expectancy.

ASPHALT



Pacopatch Grout 20KG

A polymer modified mastic asphalt highway reinstatement system for reinstating the road surface around ironworks. It is a two part system comprising of IKO Pacopatch Grout and IKO Pacopatch Brick.




Pacopatch Brick 6KG

IKO Pacopatch Brick is manufactured with a high percentage of recycled material and forms the bulk of the system providing dimensional stability and aid the cooling of the IKO Pacopatch Grout.

All you need under one roof

Our showrooms and warehouses are fully stocked with a range of IKO products and related tools and accessories needed for any roofing and waterproofing project.

ASPHALT



Easymelt Bitumen 10KG

Easymelt Bonding Bitumen is a high grade bonding bitumen, supplied in easy to handle 10kg shrink wrapped blocks.

Roofstar T 20KG

Can be applied to form a continuous waterproof covering over flat, sloped, or curved surfaces. It can be worked around pipes, roof lights, and other projections to provide a completely seam-free waterproof membrane.

Pavestar 20KG


Provides an economic but highly effective range of mastic asphalt paving solutions to suit any project requirements. As well as paving projects, Pavestar is also suitable for walkways, balconies and terraces.



Leadax Original

Lead replacement for multiple applications

The world's most sustainable lead replacement with the look and feel of traditional lead, without any of the negatives.



LEAD REPLACEMENT



Leadax Original

Leadax Original is the world's first lead replacement with the same look and feel of traditional lead. A second generation lead replacement that's very easy to use. Available in sizes from 100mm to 1m.



Leadax Sealant

310ml

Leadax Sealant is an adhesive designed to be used to bond materials to Leadax sheets. This sealant remains flexible even after prolonged use to prevent water penetration. Leadax Clips 25 per pack.



Leadax Clips

25 per pack

IKO Leadax Fixing Clips allow you to fix leadax to masonry joints quickly and easily. For use on above-ground masonry.

TANKING




Hyload 1500SA

20m x 1m

A post applied self-adhesive sheet material that comprises of a cross-laminated orientated HDPE coated with a highly adhesive polymer modified bitumen compound.

PROTECTION BOARD



Hyload Protection Board

3mm / 2m x 1m


Thick, flexible, load bearing and rot proof polymeric board. Used for the protection of membranes against damage.



Protectoboard

Protectoboard is a protection and roof recovery board fabricated with a bituminous core sandwiched between two layers of non-woven glass-fibre reinforcement. It offers durable and reliable performance.

OUTLETS



90 Degree Roof Outlets

90 Degree outlets available in both TPE and PVC in various sizes.



Vertical Roof Outlet

Vertical flat roof outlets available in TPE and PVC in various sizes.



Flat Roof Vent

Flat roof vent available in both TPE and PVC.



Grey Flat Roof Vent

Grey flat roof vent for torch on Felt.



Power Drain H


The patented expansion system provides a watertight fastening of a 4 mm-thick bitumen slab (APP) with composite reinforcement on a Geberit PE pipe 600 mm long.



Power Drain V

For the vertical drainage of rainwater from flat roofs. Provides a watertight fastening of a 4 mm-thick bitumen slab (APP) with composite reinforcement to a 600 mm Geberit PE pipe.

ROOFLIGHTS



Rooflights/Lanterns/Smoke Vents

Items available on request please contact your local branch to enquire.

All you need under one roof


Our showrooms and warehouses are fully stocked with a range of IKO products and related tools and accessories needed for any waterproofing and roofing project.

GUARDRAIL SYSTEMS



Freestanding Guardrail System

Galvanised steel with an anti-corrosion coating make up the modular components of the freestanding system, giving you longevity with lightweight strength. Installation is fast and easy, with no need for structural drilling, or bending and welding of rails while on site.



All you need under one roof

Our showrooms and warehouses are fully stocked with a range of IKO products, related tools and accessories needed for any waterproofing & roofing project.

TILE RIDGE & VERGE KITS



Dry Ridge Kit

For pitched roofs. Quick and simple installation and secure tiles without the need for mortar. No need for maintenance.



Dry Verge Unit

Designed to provide a mortar free method of fixing profiled single lap verge tiles in a strong and robust fashion.

ACCESSORIES & TOOLS



PVC Accessories

Including heat gun nozzles, seam probes, membrane rollers, penny rollers, slitters and scissors.

Calloni Torches

Available in various lengths.

Fixings

Selection available in store.

Leaf Guards

For both vertical and horizontal outlets.

Paving Supports

Available in various sizes.

Leister Heat Gun

Leister have been the worldwide leader in the field of plastic welding and hot-air blowers for over 60 years.

Roller and Trays

Selection available in store.

Gloves

Selection available in store.

Lightning Conductor Pads

Selection available in store.

Felt & Asphalt Trim

Available in various sizes.

GREEN AND BLUE ROOFS



Green and Blue Roof

Green and blue roofs build up available contact your local branch for details.

SINGLE PLY PVC



Single Ply PVC

Various sizes and colours available in our single Ply PVC range.



ROOFMART IRELAND

We provide technical expertise and guidance to builders, roofing contractors, architects, specifiers and engineers.

www.roofmart.ie

GUTTER RENOVATION SOLUTION

Waterproof renewal coating for gutters

IKOpro Gutter Renovation

Gutter renovation solution is a solvent-free, odourless, ready to use coating made from flexible hybrid polymers



Resistant to all temperatures



Highly elastic and covers cracks



Adheres to all commonly used materials



Environmentally friendly and safe to use

ROOF REPAIR SOLUTION

Waterproofing for difficult roof details

IKO Hybritech MS Detail

A new environmentally friendly, highly-elastic, one-component, liquid waterproofing barrier for the seamless sealing of all flat roofs.



Highly elastic



Seamless waterproof barrier



Adheres to any substrate



Environmentally friendly and safe to use



Easy to apply. Primer not required

Specialist Roofing & Waterproofing Stores

Whatever the job you can rely on Roofmart to provide products with the ideal combination of performance, value and innovation.



All you need under one roof

Our showrooms and warehouses are fully stocked with a range of IKO products and related tools and accessories needed for any roofing and waterproofing project.



DUBLIN NORTH

Unit 502
Northwest Business Park
Ballycoolin
D15 CP3V

T: 01 885 5090

E: dublinnorth@roofmart.ie



DUBLIN SOUTH

Unit 5
Broomhill Business Complex
Tallaght
D24 X270

T: 01 417 9641

E: dublinsouth@roofmart.ie



BELFAST

2-4 Old Church Road
Newtownabbey
County Antrim
BT36 7LU

T: 028 9086 7079

E: belfast@roofmart.co.uk



CORK

Unit 3
South Ring West Business Park
Tramore Road, Cork
T12 FC60

T: 021 431 7903

E: sales@roofmart.ie

www.roofmart.ie

Whilst every care is taken to see that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification or application details or otherwise have taken place since this literature was issued. **April 2026**